
WOOD DOORS STOCK OFFERINGS









We help people walk through walls

Together, Masonite and BWI Distribution are committed to delivering unsurpassed performance and interior doors through full service door solutions that provide unmatched performance with eye-catching appeal. We want to provide not just a door, but a total experience, giving you a complete line of products, services and support tools designed around your success.



We are your leading source for the latest trend insights and design ideas, delivering products that keep pace with industry demand while providing exceptional service and value to independent building material retailers. Our comprehensive selection of door and glass options meets any performance, material and design need, so you always have the right answer for your customers.

YOUR TRUSTED PARTNER

Masonite & BWI are not just trusted leaders in wood doors; we are powerful partners who help you create more inspiring customer experiences and stronger business results.

As the premier distribution arm of Masonite Doors in the Northeastern part of the USA, BWI is known for our consistent quality, exceptional customer service, and highly professional sales and support staff.



review and ordering, while our electronic warehouse management system allows tracking of shipments from order entry to

delivery. Whatever the need, BWI continues to offer cutting-edge solutions, the best selection and the most current products in the industry.

Visit us on line at www.bwi-distribution.com.



NEW


DuraStyle Exterior Wood Doors With AquaSeal Technology



THE CLEAR DIFFERENCE

The difference is clear: AquaSeal, can deliver up to 22 times the protection against water penetration compared to exterior wood doors without AquaSeal, preserving the door's natural beauty.









AquaSealed Glass and Panels



Ordinary wood doors let water in



DuraStyle wood doors keep water out




Superior construction with AquaSeal, Technology means one of the best performing exterior wood doors on the market backed by a 5-Year limited warranty. Torrefied species & insulated glass come with a 20-Year limited warranty.



CERTIFIED THIRD-PARTY WATER PENETRATION TEST

When subjected to extreme wind and water, DuraStyle, Exterior Wood Doors with AquaSeal, Technology resisted water penetration up to 22x better than ordinary wood doors.



TEST: ASTM E331 WATER PENETRATION OF EXTERIOR DOORS BY UNIFORM STATIC AIR PRESSURE DIFFERENCE

Test measures water penetration at 8" of water and 24 mph winds - lasting 15 minutes in this condition is considered passing.

All doors finished according to the manufacturer's finishing instructions.

Speak to your Sales Manager for additional product details and availability.

DuraStyle® Exterior Wood Doors*



				WIDTH AVAILABILIT					
				2/0	2/6	2/8	3/0		
RAISED P	ANEL W/ OVOL	O STICK	ING						
C22	2P	1-3/8"	6/8				•		
C22	2P	1-3/8"	7/0				•		
C66	6P	1-3/8"	6/8		•	•	•		
C66	6P	1-3/8"	7/0		•	•	•		
944	9-LITE 2P	1-3/8"	6/8		•	•	•		
2642	4-LITE 2P	1-3/8"	6/8				•		
2612	1-LITE 2P	1-3/8"	6/8		•	•	•		
2020	FAN LITE	1-3/8"	6/8		•		•		
OVOLO S	TICKING								
5001	FULL-LITE	1-3/8"	6/8		•	•	•		
5001	FULL-LITE	1-3/8"	7/0		•	•	•		
1510	10-LITE	1-3/8"	6/8	•					
1515	15-LITE	1-3/8"	6/8		•	•	•		
1515	15-LITE	1-3/8"	7/0		•	•	•		
1518	18-LITE	1-3/8"	8/0				•		
2132	2-LITE 4P	1-3/8"	8/0			•	•		
RAISED P	ANEL								
512	12-LITE 1P	1-3/8"	6/8				•		
2612	1-LITE	1-3/8"	6/8		•	•	•		
FLAT PAN	IEL SQUARE ST	TICKING							
2662	6-LITE 2P	1-3/8"	6/8				•		
2662	6-LITE 2P	1-3/8"	7/0				•		
2661**	6-LITE 1P	1-3/8"	6/8				•		
2661**	6-LITE 1P	1-3/8"	7/0				•		

^{**} V-groove Raised Panel and Arch Top Raised Panel also available.

Interior Wood Panel Doors




				WIDTH AVAILABILITY													
				1/0	1/2	1/3	1/4	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0
PREMIUM WHI	TE PIN	E*															
106	4P	1-3/8"	6/8	•	•	•	•	•	•	•	•	•	•	•	•	•	•
108	6P	1-3/8"	6/8	•	•	•	•	•	•	•	•	•	•	•	•	•	•
108	6P	1-3/8"	7/0	•		•		•			•		•	•	•	•	•
C44 (Shaker)	4P	1-3/8"	6/8					•	•	•	•	•	•	•	•		•
RADIATA PINE																	
108	6P	1-3/8"	6/8	•	•	•	•	•	•	•	•	•	•	•	•	•	•
OAK																	
106	4P	1-3/8"	6/8					•			•		•	•	•		•
108	6P	1-3/8"	6/8					•			•		•	•	•		•
BIFOLDS																	
PREMIUM WHI	TE PIN	ΙΞ															
108	6P	1-3/8"	6/8								•		•	•	•		•
RADIATA PINE																	
108	6P	1-1/8"	6/8								•			•	•		•







Primed Shaker Doors





				WIDTH AVAILABILITY													
				1/0	1/2	1/3	1/4	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0
FLAT	PANE	L W/ SQUA	RE STIC	KING													
C11	1P	1-3/8"	6/8	•	•	•	•	•	•	•	•	•	•	•	•	•	•
C11	1P	1-3/8"	7/0					•			•		•	•	•	•	•
C11	1P	1-3/8"	8/0					•			•		•	•	•		•
C22	2P	1-3/8"	6/8	•	•	•	•	•	•	•	•	•	•	•	•	•	•
C22	2P	1-3/8"	7/0					•			•		•	•	•		•
C22	2P	1-3/8"	8/0					•			•		•	•	•		•
C25	2P	1-3/8"	6/8					•	•	•							
C30	2P	1-3/8"	6/8	•		•		•	•	•	•	•	•	•	•	•	•
C35	3P	1-3/8"	6/8								•	•	•	•	•	•	•
C40	4P	1-3/8"	6/8	•		•		•	•	•	•	•	•	•	•	•	•
C44	4P	1-3/8"	6/8								•	•	•	•	•	•	•
C55	5P	1-3/8"	6/8					•	•	•	•	•	•	•	•	•	•
C11	1P	1-3/4"	6/8	•	•	•	•	•	•		•	•	•	•	•	•	•
C11	1P	1-3/4"	7/0	•	•	•	•	•	•		•	•	•	•	•	•	•
C11	1P	1-3/4"	8/0					•			•	•	•	•	•	•	•
C22	2P	1-3/4"	6/8	•		•		•	•		•	•	•	•	•	•	•
C22	2P	1-3/4"	7/0	•	•	•	•	•	•		•	•	•	•	•	•	•
FLAT	PANE	L W/ SQUA	RE STIC	KING .	- 20-N	IINUT	E FIR	E-RAT	ED								
C11	1P	20-MIN.	6/8												•		•
C22	2P	20-MIN.	6/8												•		•
C35	3P	20-MIN.	6/8												•		•
FLAT	PANE	L W/ OVOL	O STICK	ING													
C11	1P	1-3/8"	6/8	•	•	•	•	•	•		•	•	•	•	•	•	•
C22	2P	1-3/8"	6/8	•	•	•	•	•	•		•	•	•	•	•	•	•
C25	2P	1-3/8"	6/8					•	•								
C35	3P	1-3/8"	6/8								•	•	•	•	•	•	•
C44	4P	1-3/8"	6/8								•	•	•	•	•	•	•
C55	5P	1-3/8"	6/8					•			•	•	•	•	•	•	•
C11	1P	1-3/4"	7/0	•	•	•	•	•	•		•	•	•	•	•	•	•
FLAT	PANE	L W/ OVOL	O STICK	ING - 2	20-MI	NUTE	FIRE-	RATE	D								
C22	2P	20-MIN.	6/8												•		
RAISE	ED PA	NEL W/ OV	OLO STIC	CKING	;												
C33	3P	1-3/8"	6/8					•			•		•	•	•		•



French Doors

PREMIUM WHITE PINE



PREMIUM WHITE PINE



CLEAR & FRIT

FRIT

CLEAR

CLEAR

CLEAR & BEVEL

CLEAR & BEVEL

									WIDT	H AV	AILAB	ILITY					
				1/0	1/2	1/3	1/4	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0
PRIM	ED																
CLEA	R GLASS																
1501	1-LITE	1-3/8"	6/8								•		•	•	•		•
1505	5-LITE	1-3/8"	6/8					•									
1510	10-LITE	1-3/8"	6/8								•						
1515	15-LITE	1-3/8"	6/8										•	•	•	•	•
FRIT	GLASS																
1501	1-LITE	1-3/8"	6/8								•		•	•	•		•
	IIUM WHITE PINE	*															
	R GLASS																
1501	1-LITE	1-3/8"	6/8								•		•	•	•		•
1510	10-LITE	1-3/8"	6/6								•						
1510	10-LITE	1-3/8"	6/8								•						
1510	10-LITE	1-3/8"	7/0								•						
1515	15-LITE	1-3/8"	6/6										•	•	•		
1515	15-LITE	1-3/8"	6/8										•	•	•		•
1515	15-LITE	1-3/8"	7/0										•	•	•		•
1510	10-LITE BEV.	1-3/8"	6/8								•						
1515	15-LITE BEV.	1-3/8"	6/8											•	•		•
1701	1-LITE (SL)	1-3/8"	6/8	•	•			•									
1705	5-LITE (SL)	1-3/8"	6/8	•	•			•									
1509	9-LITE "PRAIRIE"	1-3/8"	6/8								•			•	•		•
1510	10-LITE	1-3/4"	6/8								•						
1515	15-LITE	1-3/4"	6/8											•	•		•
1512	12-LITE	1-3/4"	8/0								•						
1518	18-LITE	1-3/4"	8/0											•	•		•
	GLASS																
1510	10-LITE	1-3/8"	6/8								•						
1515	15-LITE	1-3/8"	6/8											•	•		•
	PANTRY	1-3/8"	6/8										•	•	•		•

Louver Doors



^{*}Premium White Pine has vertical grain.
Unless otherwise specified, BWI Standard hanging of louver doors is slats down to hinge side of unit.
Special order sizes and additional species available.
Call your BWI representative for more information.

				WIDTH AVAILABILITY													
				1/0	1/2	1/3	1/4	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0
PREMIUM WHITE PINE*																	
730	FULL LOUVER	1-3/8"	6/0								•						
730	FULL LOUVER	1-3/8"	6/6	•	•	•	•	•	•	•	•	•	•	•	•		•
730	FULL LOUVER	1-3/8"	6/8	•	•	•	•	•	•	•	•	•	•	•	•		•
730	FULL LOUVER	1-3/8"	7/0	•		•		•			•		•	•	•		•
732	LOUVER / PANEL	1-3/8"	6/6					•	•	•	•		•	•	•		•
732	LOUVER / PANEL	1-3/8"	6/8	•	•	•	•	•	•	•	•		•	•	•	•	•
BIFO	BIFOLDS																
730	FULL LOUVER	1-3/8"	6/8								•		•	•	•		•
732	LOUVER / PANEL	1-3/8"	6/8								•		•	•	•		•
PRIM	ED																
730	FULL LOUVER	1-3/8"	6/8	•	•	•	•	•	•	•	•	•	•	•	•	•	•
730	FULL LOUVER	1-3/8"	7/0					•			•		•	•	•		•
732	LOUVER / PANEL	1-3/8"	6/8		•	•	•	•	•	•	•	•	•	•	•	•	•
BIFO	LDS																
730	FULL LOUVER	1-1/8"	6/8								•		•	•	•		•
PRIM	ED PLANTATION I	LOUVEF	t _														
730	FULL LOUVER	1-3/8"	6/8								•		•	•	•		•

PREMIUM WHITE PINE



FULL LOUVER



FULL LOUVER BIFOLD



HALF LOUVER



HALF LOUVER BIFOLD

PRIMED



FULL LOUVER



FULL LOUVER BIFOLD



HALF LOUVER



FULL LOUVER

BWI "Perfect Fit"

PREHUNG JAMB OPTIONS

Available Primed FJ, Primed Poplar, and Clear Pine










FLAT JAMB

SINGLE RABBETED JAMB


SPLIT JAMB

STICKING OPTIONS



















STILE AND RAIL DOORS DEFINED

STILE: vertical pieces of the door

RAIL: horizontal pieces of the door; includes top, bottom, and sometimes lock rails

PANEL: pieces that fit within the surrounding stile & rail frame that come in different profile designs -

single-hip, double-hip, and flat

STICKING: the design of the profile edge on the stile and rail; ovolo is carved and rounded; shaker is straight and

squared

MULLION: narrow vertical sections between panels

MUNTIN: slim vertical pieces used to separate panes of glass

PREHUNG CASING OPTIONS



^{*}Not all casing profiles are available at every location. Please check for availability. Each casing profile is available in both primed and pine.

PREHUNG HINGE OPTIONS







OIL-RUBBED BRONZE (US10B)



ANTIQUE NICKEL (US15A)



SATIN NICKEL (US15)



PRIMED



POLISHED CHROME (US26)



PAINTED BLACK



BRUSHED CHROME (US26D)

BRASS

(US3)

TED CK



PAINTED WHITE

Prefinish Options



Unrivaled quality, performance and value.

For over 30 years, BWI has supplied specialty millwork to independent retail establishments. In 1996, BWI Fine Finish was established to help homeowners make their visions a reality.

Creating a custom door system has never been easier. We partner with Masonite to provide beautiful door designs that complement any home. Our relationship with Sherwin Williams allows for seamless customization using paint or stain. Finally, our climate-controlled facility delivers the superior finish with consistent applications and quick turnarounds.







BWI-PA / Commercial 299 Mulberry Drive Mechanicsburg, PA 17050 P: 866.717.7660 F: 717.766.9321

BWI-NJ 210 Industrial Pkwy Branchburg, NJ 08876 P: 800.242.7207 F: 908.526.5013 BWI-MA 248 Industrial Road Leominster, MA 01453 P: 866.826.3388 F: 978.840.2951